Journal of Pharmaceutical and Biomedical Analysis

Volume 6, 1988

LIST OF CONTENTS

Number 1

Review

M. D. Luque de Castro — 1 — Determination of oxalic acid in urine: a review

Full Papers

K. Quinn, D. B. Galloway, S. T. Leslie, C. Ness, S. Robertson and A. Shill — 15 — Determination of morphine in human plasma by radioimmunoassay utilising a preliminary liquid–solid extraction

V. Girona, C. Pacareu, A. Riera, R. Pouplana, M. Castillo and J. Bolòs — 23 — Spectrophotometric determination of the stability of an ampicillin–dicloxacillin suspension

J. R. Andersen — 29 — Aluminium in peritoneal dialysis fluids as determined by stabilised temperature platform furnace atomic absorption spectrometry

M. A. Koupparis and P. I. Anagnostopoulou — 35 — Automated flow injection determination of salicylates using Trinder reaction for clinical analysis, assays and dissolution studies of formulations

D. Meynial, A. Lopez, M. C. Malet-Martino, J. S. Hoffmann and R. Martino — 47 — Application of fluorine-19 nuclear magnetic resonance to the determination of plasma-protein binding of 5′-deoxy-5-fluorouridine, a new antineoplastic fluoropyrimidine

A. G. Davidson and T. O. Dawodu — 61 — Difference spectrophotometric assay of 5-hydroxymethylfurfuraldehyde in hydrolysed pharmaceutical syrups—II. Isoniazid reagent

L. Bower, J. Braven and G. Manley — 67 — The isolation and characterization of glycosaminoglycans in normal human serum

J. C. Pearce, W. J. Leavens, J. A. Jelly, K. A. Fernandes and R. D. McDowall — 75 — The analysis of SK&F 94120, a novel inotropic agent, and its four metabolites by isolation on C18 AASP cassettes followed by high-performance liquid chromatography

F. L. Lam and A. Lowande — 87 — The simultaneous assay of riboflavin 5-phosphate sodium and other water-soluble vitamins in liquid multivitamin formulations by liquid chromatography

Short Communications

P. B. Issopoulos — 97 — Analytical investigations of β-lactam antibiotics in pharmaceutical preparations—I. Spectrophotometric determination of cephalexin, cephradine, ampicillin and amoxycillin using paramolybdate anion

C. Astbury — 103 — A modified reversed-phase high-performance liquid chromatographic method for the determination of plasma sulphasalazine concentrations

K. Görög and S. Görög — 109 — Difference enzyme spectrophotometric determination of 6-mercaptopurine in urine

CONTENTS

H. Pötter and M. Hülm — 115 — Assay of nifedipine and its by- and degradation products in the drug substance and dragees by liquid chromatography on formamide-saturated silica gel columns

A. Pitotti, V. Maurich, M. Moneghini, G. Franchi and E. Lencioni — 121 — A sensitive high-performance liquid chromatographic assay for trypsin-like enzymes

129 — Announcement

Number 2

Full Papers

P. Verner — 131 — Separation, quantification and identification of non-volatile organic acids in body fluids by gas chromatography

I. D. Wilson and J. K. Nicholson — 151 — Solid phase extraction chromatography and NMR spectroscopy (SPEC-NMR) for the rapid identification of drug metabolites in urine

X. Aparicio, J. Gras, A. Campos, E. Fernandez and E. Gelpí — 167 — Determination of flunarizine in plasma by a new high-performance liquid chromatography method. Application to a bioavailability study in the rat

Short Communications

F. A. Mohamed, A. I. Mohamed and S. R. El-Shabouri — 175 — Visible spectrophotometric determination of sulphonamides

M. B. Almeida and C. C. Guzmán — 185 — Rescinnamine and reserpine—a comparative study of their ^{13}C NMR spectra

M. Ballesteros, M. A. Martin, B. Del Castillo and M. Ortega — 191 — Fluorescent species produced by the interaction of streptomycin and glucose

B. Morelli — 199 — First and second derivative spectrophotometric assay of mixtures of cefuroxime and cephalexin

Number 3

Full Papers

M. Johansson and C. Svensson — 211 — Determination of dextromethorphan and its metabolites in plasma by dual column liquid chromatography and fluorimetric detection

A. Laganà, A. Marino, M. Rotatori, R. Curini, G. D'Ascenzo and L. Miano — 221 — High-performance liquid chromatographic analysis of norfloxacin in human tissues and plasma with fluorescence detection

J. Hansen-Møller, C. Cornett, L. Dalgaard and S. H. Hansen — 229 — Isolation and identification of the rearrangement products of diflunisal 1-*O*-acyl glucuronide

K. Shepley, M. L. Rocci, Jr., H. Patrick and P. Mojaverian — 241 — An optimized fluoroenzymatic assay for the determination of angiotensin converting enzyme inhibitors in biological fluids

P. D. Sethi, P. K. Chatterjee and C. L. Jain — 253 — Spectrophotometric assays of diloxanide furoate and tinidazole in combined dosage forms

G. Cavina, B. Gallinella, R. Porrà, P. Pecora and C. Suraci — 259 — Carotenoids, retinoids and alpha-tocopherol in human serum: identification and determination by reversed-phase HPLC

CONTENTS

D. J. Mazzo, S. E. Biffar, K. A. Forbes, C. Bell and M. A. Brooks — 271 — A flow injection system with in-series ultraviolet and electrochemical detection for the simultaneous determination of lovastatin and butylated hydroxyanisole in a tablet

M. De Smet and D. L. Massart — 277 — Determination of amiodarone and desethylamiodarone in plasma with a standardised extraction and chromatographic optimisation procedure

J. J. Gardner, J. R. Preston, C. M. Gilbert, D. J. Wilkinson, W. J. S. Lockley and K. Brown — 285 — A radioimmunoassay method for the determination of nedocromil sodium in plasma and urine

Short Communications

L. Campanella, F. Mazzei, R. Sbrilli and M. Tomassetti — 299 — Benzylpenicillin PVC membrane electrode for the determination of antibiotics in formulations

M. Márquez, M. Silva and D. Perez-Bendito — 307 — Semi-automatic analysis of mercury in pharmaceuticals by catalytic titration

A. G. Asuero — 313 — Evaluation of acidity constants of two-step overlapping equilibria of amphoteric substances from solubility measurements

G. S. Clarke and M. L. Robinson — 317 — A basic program to determine outliers in biopharmaceutical analysis using the Nair criterion

P. B. Issopoulos — 321 — Analytical investigations of β-lactam antibiotics in pharmaceutical preparations—II. Spectrophotometric determination of cephalexin, cephradine, ampicillin and amoxycillin using copper(II) acetate as a complexing agent

A. J. J. Debets, R. van de Straat, W. H. Voogt, H. Vos, N. P. E. Vermeulen and R. W. Frei — 329 — Simultaneous determination of glutathione, glutathione disulphide, paracetamol and its sulphur containing metabolites using HPLC and electrochemical detection with on-line generated bromine

337 — The 102nd AOAC Annual International Meeting and Exposition

Number 4

Analytical Surveys

R. D. McDowall, J. C. Pearce and G. S. Murkitt — 339 — Laboratory Information Management Systems—Part I. Concepts

R. D. McDowall, J. C. Pearce and G. S. Murkitt — 361 — Laboratory Information Management Systems—Part II. Implementation

Full Papers

C. Vetuschi, G. Ragno and P. Mazzeo — 383 — Determination of *p*-aminosalicylic acid and *m*-aminophenol by derivative UV-spectrophotometry

S. El Gezawi, N. Omar, N. El Rabbat and J. H. Perrin — 393 — Analysis of some dosage forms containing pyridine derivatives using a cyclodextrin bonded stationary phase in HPLC

S. El Gezawi, N. Omar, N. El Rabbat, H. Ueda and J. H. Perrin — 399 — Microcalorimetric and chromatographic investigations of the binding of some pyridine derivatives to cyclodextrins

F. M. Demotes-Mainard, G. A. Vinçon, C. H. Jarry and H. C. Albin — 407 — Micromethod for determination of ceftriaxone in plasma and urine by high-performance liquid chromatography

J. P. Franke, R. A. De Zeeuw and J. Wijsbeek — 415 — Impact of urine matrix and isolation procedure on retention behaviour of basic drugs in thin-layer chromatography

CONTENTS

Short Communications

M. G. Quaglia, G. Carlucci, G. Cavicchio and P. Mazzeo — 421 Determination of phenylbutazone decomposition products by mass fragmentography and derivative UV-spectrophotometry

R. A. Moore and A. J. V. Carter — 427 Assay of iodochlorhydroxyquin in cream and ointment formulations by high-performance liquid chromatography

Number 5

Full Papers

K. Ensing, M. Pol and R. A. de Zeeuw — 433 Radioreceptor assays of ipratropium bromide in plasma and urine

F. Mebsout, J.-M. Kauffmann and G. J. Patriarche — 441 Electrochemical behaviour of cis-platin at carbon paste and platinum electrodes

A. G. Davidson and L. M. M. Mkoji — 449 The simultaneous assay of triprolidine, pseudoephedrine and dextromethorphan in combined preparations by derivative-difference spectrophotometry

Th. Cachet and J. Hoogmartens — 461 The determination of water in erythromycin by Karl Fischer titration

A. T. Kicman and R. V. Brooks — 473 A radioimmunoassay for the metabolites of the anabolic steroid nandrolone

R. Siegler and L. A. Sternson — 485 Analysis by liquid chromatography of desipramine in aqueous solutions and plasma application of dichlorotriazinylamino-fluorescein (DTAF) as a pre-column fluorescent derivatising agent for selected secondary amines

D. J. Berry and D. V. Parke — 493 The micro gas-liquid chromatographic analysis of 4-(3',3'-dimethylallyl)-1,2-diphenylpyrazolidine-3,5-dione (feprazone) in human biosamples

Short Communications

J. Camarasa, E. Escubedo and T. Adzet — 503 Pharmocokinetics of caffeic acid in rats by a high-performance liquid chromatography method

L. Chafetz and L. H. Chow — 511 Photochemical hydroxylation of phenylephrine to epinephrine (adrenaline)

G. Carlucci, L. Biordi, T. Napolitano and M. Bologna — 515 Determination of famotidine in plasma, urine and gastric juice by high-performance liquid chromatography using disposable solid-phase extraction columns

E. E. Essien, E. I. Ette and E. A. Brown-Awala — 521 Evaluation of the effect of co-administered paracetamol on the gastro-intestinal absorption and disposition of chloroquine

527 Book Review

529 Announcement

CONTENTS

Numbers 6–8

Special Issue: Invited Plenary, Keynote and Submitted Papers from the International Symposium on Pharmaceutical and Biomedical Analysis, September 1987, Barcelona, Spain

	iii	Obituary
	iv	International Scientific Committee
	v	Organizing Committee
A. F. Fell	531	Editorial
Lectures		
D. L. Massart and L. Buydens	535	Chemometrics in pharmaceutical analysis
R. D. McDowall	547	Laboratory Information Management Systems in Practice
A. F. Fell, T. P. Bridge and M. H. Williams	555	Design and application of an expert system for mobile phase optimisation in reversed-phase liquid chromatography
J. van der Greef, W. M. A. Niessen and U. R. Tjaden	565	Liquid chromatography–mass spectrometry in bioanalysis: some applications and a new approach for non-volatile buffer systems
M. A. Martin, B. Lin and B. del Castillo	573	The use of fluorescent probes in pharmaceutical analysis
F. Lazaro, M. D. Luque de Castro and M. Valcárcel	585	Novel strategies in flow-injection analysis
A. Berthod, J. J. Laserna and J. D. Winefordner	599	Analysis by surface enhanced Raman spectroscopy on silver hydrosols and silver coated filter papers
A. C. Veltkamp, H. A. Das, R. W. Frei and U. A. Th. Brinkman	609	On-line radiometric determination of [^{14}C]-urapidil and its main metabolites in rat plasma, using post-column ion-pair extraction and solvent segmentation techniques
G. Szepesi and M. Gazdag	623	Enantiomeric separations and their application in pharmaceutical analysis using chiral eluents
A. M. Krstulovic	641	Chiral stationary phases for the liquid chromatographic separation of pharmaceuticals
L. A. Sternson, J. F. Stobaugh, J. Reid and P. de Montigny	657	Chemical derivatization as a strategy to enhance detectability of agents used in cancer management
C. M. Riley	669	Bioanalysis of cisplatin analogues—a selective review
J. H. Beijnen and W. J. M. Underberg	677	High-performance liquid chromatographic bioanalysis of anthracycline cytostatic drugs
H. Lingeman, U. R. Tjaden, C. M. B. van den Beld and J. van der Greef	687	Conventional and laser induced fluorescence detection of glucuronic acid conjugates after derivatization and liquid chromatographic separation
S. Görög, A. Laukó and B. Herényi	697	Estimation of impurity profiles in drugs and related materials

CONTENTS

Poster Presentations

J. Barbosa, D. Barron, J. E. Beneyto and V. Sanz-Nebot — 709 — Dissociation constants and assay of weak bases in non-aqueous solvents

L. Campanella, M. Tomassetti, F. Mazzei and R. Sbrilli — 717 — Polymeric membrane electrodes for drug analysis

I. Bíryol and S. Dermís — 725 — Electrochemical analysis of some phenothiazine derivatives—I. Chlorpromazine HCl

J. Hernández Méndez, A. Sánchez Pérez, M. Delgado Zamarreño and M. L. Hernández Garcia — 737 — Voltammetric determination of vitamin D_3 with a rotating glassy carbon electrode

J. M. Fernandez Alvarez, A. Costa Garcia, A. J. Miranda Ordieres and P. Tuñón Blanco — 743 — Adsorptive stripping voltammetric assay of folic acid in human serum

S. Alegret, J. Alonso, J. Bartroli, J. Garcia-Raurich and E. Martinez-Fàbregas — 749 — Chloride determination in serum by a flow-injection analysis precipitation pseudo-titration technique using a flow-through all-solid-state silver electrode

J. Géher and É. Szabó — 757 — Computer-aided spectrophotometric determination of multicomponent drugs

G. Sala, S. Maspoch, H. Iturriaga, M. Blanco and V. Cerda — 765 — Simultaneous multiwavelength spectrophotometric quantitation of active components in analgesic formulations. Comparative study of three calculation methods

K. Karljiković-Rajić, B. Stanković, A. Granov and Z. Binenfeld — 773 — Use of palladium(II) chloride as colour-forming reagent in determination of pralidoxime chloride in water and tablets

E. Casassas, L. Puignou, A. Izquierdo-Ridorsa and M. Pedrola — 781 — Kinetic-spectrophotometric method for the assay of copper(II) in human serum by catalytic oxidation of salicylic acid

A. C. Lane, J. D. Nichols, N. D. Steel, K. Sugden and D. S. Walter — 787 — Determination of idazoxan in plasma by radioreceptor assay

V. G. Dwyer, B. Benson, K. H. Kwan, R. C. Humphreys, W. J. Ko, N. H. Lin and D. W. Sammons — 793 — A computer-enhanced comparative study of brain region polypeptides and proteins by two-dimensional gel electrophoresis

K. D. Altria and C. F. Simpson — 801 — Analysis of some pharmaceuticals by high voltage capillary zone electrophoresis

LJ. Živanović, D. Živanov-Stakić and D. Radulović — 809 — Determination of lidocaine in pharmaceutical preparations using thin-layer chromatographic densitometry

R. De la Torre, J. Ortuño, J. Cami and J. Segura — 813 — Comprehensive gas chromatographic analysis of heroin street samples

P. Peura, K. F. Faull and J. D. Barchas — 821 — Determination of tryptamine in rat brain by gas chromatography–mass spectrometry

F. T. Delbeke, M. Debackere, N. Desmet and F. Maertens — 827 — Comparative study of extraction methods for the GC and GC–MS screening of urine for beta-blocker abuse

CONTENTS

R. M. Smith and M. M. Sanagi	837	Application of packed column supercritical fluid chromatography to the analysis of barbiturates
B. J. Clark, A. F. Fell and D. G. Jones	843	Digital techniques for luminescence detection in liquid chromatography with an intensified linear photodiode array
R.-K. Aaran and T. Nikkari	853	HPLC method for the simultaneous determination of beta-carotene, retinol and alpha-tocopherol in serum
S. O. Badiru and T. M. Jefferies	859	Sensitive HPLC analysis of basic drugs of abuse having weak UV absorptivity using columns with low carbon loadings monitored at 205 nm
A. Yasin and T. M. Jefferies	867	Analysis of tetracycline antibiotics and their common impurities by high-performance liquid chromatography using a polymeric column
R. F. Betteridge, C. P. Land and A. G. Bosanquet	875	Stability of flavone-8-acetic acid (LM975) in aqueous solutions by high-performance liquid chromatography
J. A. De Schutter and P. De Moerloose	879	Reversed-phase ion-pair liquid chromatography of some quaternary ammonium drugs
R. Ventura, R. De la Torre and J. Segura	887	Analysis of naltrexone urinary metabolites
M. Claeys, A. Schepers, L. Dillen and W. P. De Potter	895	Evaluation of sample work-up methods and internal standards for the determination of catecholamines in urine by HPLC with electrochemical detection
A. Duchateau, H. Martens, H. Teuchy, A. Schoups and M. Claeys	903	Evaluation of sample work-up methods and internal standards for the determination of 5-hydroxytryptamine and 5-hydroxyindole-acetic acid in brain by HPLC with electrochemical detection
S. Scalia, P. Pazzi, G. Stabellini and M. Guarneri	911	HPLC assay of conjugated bile acids in gastric juice during ursodeoxycholic acid (Deursil®) therapy of bile reflux gastritis
W. H. Bradbury, R. D. Coldwell, D. J. H. Trafford and H. L. J. Makin	919	A semi-automated high-performance liquid chromatographic system for the determination of 25-hydroxyvitamin D in human plasma: elimination of interference by barbiturates and use of photodiode array detection
G. de Groot, B. C. A. Tepas and G. Storm	927	High-performance liquid chromatographic determination of doxorubicin in tissues after solid phase extraction
B. Viell, B. Weidler, B. Krause and K.-H. Vestweber	933	Analysis of tryptophan, tyrosine and related dipeptides in mouse brain by isocratic high-performance liquid chromatography with switchable wavelength fluorescence detection
B. Viell, K.-H. Vestweber and B. Krause	939	Analysis of 5-OH-indoles in human gut biopsy tissues by reversed-phase high-performance liquid chromatography with fluorimetric detection
X. Aparicio, A. Campos, J. Gras, E. Fernández and E. Gelpí	945	Determination of a buspirone metabolite in plasma samples
Short Communications		
F. Giordano and G. P. Bettinetti	951	An experimental and theoretical approach to the analysis of pharmaceutical binary systems
S. Pinzauti, G. Papeschi, E. la Porta, P. Mura and P. Gratteri	957	Differential electrolytic potentiometry (DEP) with twin silver–silver sulphide membrane electrodes in micro titration of quaternary ammonium compounds

CONTENTS

J. López Palacios, J. Arcos and P. Sánchez Batanero	963	Electrochemical behaviour of acemetacin
I. Navarro, D. Gonzalez-Arjona, E. Roldan and M. Rueda	969	Determination of paracetamol in tablets and blood plasma by differential pulse voltammetry
G. Kanoute, E. Guernet-Nivaud and M. Guernet	977	Electrochemical behaviour and determination of triprolidine and diphemanil in pharmaceutical formulations
E. Bosch, J. Guiteras and A. Izquierdo	983	Polarographic determination of clioquinol in pharmaceutical preparations
E. G. de Jong, R. A. A. Maes and J. M. van Rossum	987	Application of the new ion trap detector in doping control
M. I. Arranz Peña and E. Saenz Lope	995	Monitoring serum clobazam by isothermal gas–liquid chromatography with nitrogen detector
P. V. Fennessey, R. W. Gotlin, D. Martin, S. Smith and L. M. Harrison	999	Anabolic steroids in body builders: use, metabolic disposition and physiological effects
R. M. Lee and A. J. Webb	1003	Enantiomeric drugs—separation by chromatography or by specific immunoassay
I. Ramis, J. Serra, J. Roselló, C. Picado, O. Bulbena, A. Agusti-Vidal and E. Gelpí	1009	Prostaglandin PGE_2 and $PGF_{2\alpha}$ levels in nasal secretions from healthy subjects by liquid chromatography and radioimmunological assay
M. E. Moro, M. M. Velázquez and L. J. Rodríguez	1013	Deconvolution of UV absorption spectra of 1,4 benzodiazepines in aqueous solution
F. Molina, D. G. Fernandez, J. M. Bosque-Sendra and P. Espinosa	1019	Spectrophotometric determination of copper in biological and pharmaceutical samples
J. Mañes, M. J. Gimeno, J. C. Moltó and G. Font	1023	Fluorimetric determination of hydrazine in isoniazid formulations with 2-hydroxy-1-naphthaldehyde
M. A. Rix-Montel, H. Kranck and D. Vasilescu	1029	Spectrophotometric and dielectric studies of an interaction between a new aminothiol, DNA and dipalmitoylphosphatidylcholine
M. I. Arranz Peña and E. Saenz Lope	1035	Evaluation of fluorescence polarization immunoassay as a method for the determination of carbamazepine in saliva
L. Huber and K. Zech	1039	Automated screening for drug metabolites with high-performance liquid chromatography, UV-visible diode array detection and spectra library search
C. Deballon and M. Guernet	1045	HPLC with electrochemical detection for the determination of dipyridamole in pharmaceuticals
F. Corti, F. Luzzani and P. Ventura	1049	The determination of hexoses in rat gastric mucus by high-performance liquid chromatography
G. Caccialanza, C. Gandini, M. Kitsos, R. Ponci and M. Benzo	1055	Determination of urinary 3-methylhistidine by high-performance liquid chromatography
J. G. Prieto, M. L. Alonso, A. Justel and L. Santos	1059	Tissue levels of albendazole after *in vivo* intestinal and gastric absorption in rats
D. Stevenson, R. J. Briggs, D. J. Chapman and D. de Vos	1065	Determination of tamoxifen and five metabolites in plasma